The logo for FIXED, featuring the word "FIXED" in a white, sans-serif font. The letter "X" is stylized, composed of four white diagonal bars that intersect to form the letter. The background is a solid blue color with four large white diagonal shapes in the corners, creating a geometric pattern.

FIXED


How to update the latest Firmware for FIXED USB-C Hubs.

FIXED.zone a.s.



The process is very quick and simple, please follow the instructions below.

If you don't dare to update the firmware yourself, please contact us via email podpora@FIXED.zone, we will be happy to help you.



Follow the steps on the following pages.




Go to www.FIXED.zone and download the Windows OS program "FIXED Updater_ver0.08" to upload the latest firmware for your FIXED USB-C HUB and firmware file with extension .bin called "FW nr.27".






Run the FIXED Updater_ver0.08 program



Use a USB-A to USB-C cable to connect the FIXED USB-C HUB to your computer (for FIXED Hub 6in1, 7in1 and Card models). Plug the USB-C connector into the USB-C PD port of the HUB (with flash) and plug the other end of the cable into the computer port. For the FIXED HUB Mac, use the USB-C to USB-A port reducer, plug the reducer into the second USB-C output connector (closer to the middle part) and plug the USB-A connector into your computer. The app indicates the connection of the FIXED USB-C HUB and shows the current Firmware version.





Then press the "Update Main Chip" button in the program and select the file called "FW nr.27".




After selecting the latest Firmware file, a notification pops up asking you if you are sure that you want to upload the Firmware. Press the “YES” button to confirm. The latest firmware will start to upload.

Do not turn off the computer or disconnect the cable from the computer or HUB while the firmware is being uploaded.



The program will notify you once the firmware is successfully uploaded.



```
Windows Updater Ver 0.08
USB has been connected

Connected bin file version is 19
Start time : 12:27:44
Update Main Chip
Update bin file version is 27
Update bin file is for EP9632G

InFile: Project.h00

OutDate: 2021/10/16


OutFile: EP9631G_TypeC_PD3_Dongle.h00
.....
.....
.....
.....
.....
.....
File Length 126976 Receive Success
Checksum : D700, Xor : B8

00000  K  K
0  0  K  K
0  0  KK
0  0  K  K
0  0  K  K
00000  K  K

End time : 12:28:26
Connected bin file version is 27
Updating Main Chip Finish. Please check LED
```



DONE! The latest Firmware is now uploaded to your FIXED USB-C HUB and ready to use.



FIXED

FIXED.zone a.s.